



PROFILE: Alsynite 400

Standard Weight: 2000g/m² (1.2mm)




PROFILE: ST900

Standard Weight: 2200g/m² (1.3mm)




PROFILE: Budget

Standard Weight: 1800 g/m² (1.1mm)



PROFILE: Custom Orb Corrugated

Standard Weight: 1800 g/m²




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964


PROFILE: Dimondek 400

Standard Weight: 2000 g/m² (1.2mm)




PROFILE: ERL

Standard Weight: 2200 g/m² (1.3mm)




PROFILE: Five Rib

Standard Weight: 1800 g/m² (1.1mm)



PROFILE: Flat Sheet

Standard Weight: 1800 g/m² (1.1mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964


PROFILE: Greca

Standard Weight: 1800 g/m² (1.1mm)




PROFILE: Greenhouse

Standard Weight: 1800 g/m² (1.1mm)




PROFILE: Hi Five

Standard Weight: 1800 g/m² (1.1mm)



PROFILE: Hi Line / Topspan





Standard Weight: 2000 g/m² (1.2mm)



All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964


PROFILE: Hi RibStandard Weight: 2000 g/m² (1.2mm)**PROFILE: Kiplok 406**Standard Weight: 2000 g/m² (1.2mm)**PROFILE: Lanwood**Standard Weight: 1800 g/m² (1.1mm)**PROFILE: Longrib**Standard Weight: 1800 g/m² (1.1mm)


All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964


www.alsynite.co.nz


0800 257 964

PROFILE: ST7

 Standard Weight: 2200 g/m² (1.3mm)

PROFILE: MAXISPAN

 STANDARD WEIGHT: 2200 g/m² (1.3mm)

PROFILE: MC 700





 Standard Weight: 1800 g/m² (1.1mm)

PROFILE: MC 750

 Standard Weight: 1800 g/m² (1.1mm)


All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964

PROFILE: MC 770Standard Weight: 1800 g/m² (1.1mm)**PROFILE: MC 1000**Standard Weight: 2200 g/m² (1.3mm)**PROFILE: Megaspan**Standard Weight: 1800 g/m² (1.1mm)**PROFILE: Metclad**Standard Weight: 1800 g/m² (1.1mm)


All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964


PROFILE: Metcom 930

Standard Weight: 2200 g/m² (1.3mm)




PROFILE: Metdek

Standard Weight: 1800 g/m² (1.1mm)




PROFILE: Metrib

Standard Weight: 1800 g/m² (1.1mm)



PROFILE: Metric

Standard Weight: 2200 g/m² (1.3mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964

PROFILE: MF 900


Standard Weight: 2200 g/m² (1.3mm)



PROFILE: Mini Orb


Standard Weight: 1800 g/m² (1.1mm)

34.5 corrugations




PROFILE: Multidek 500

Standard Weight: 2000 g/m² (1.2mm)



PROFILE: Multirib

Standard Weight: 2200 g/m² (1.3mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964


PROFILE: Multispan

Standard Weight: 2200 g/m² (1.3mm)




PROFILE: NC710 4 Rib

Standard Weight: 2200 g/m² (1.3mm)




PROFILE: Onduline

Standard Weight: 1800 g/m² (1.1mm)



PROFILE: Paneldek

Standard Weight: 2000 g/m² (1.2mm)





All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964


www.alsynite.co.nz


0800 257 964

PROFILE: Plumdek

 Standard Weight: 1800 g/m² (1.1mm)

PROFILE: Purlindek

 Standard Weight: 1800 g/m² (1.1mm)

PROFILE: Ribdek

 Standard Weight: 2000 g/m² (1.2mm)

PROFILE: Ribline 800

 Standard Weight: 1800 g/m² (1.1mm)



All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964


PROFILE: Ribline 960

Standard Weight: 2200 g/m² (1.3mm)




PROFILE: Rib Roof

Standard Weight: 1800 g/m² (1.1mm)




PROFILE: Rib Roof 18

Standard Weight: 2000 g/m² (1.2mm)



PROFILE: Ribspan 900

Standard Weight: 2200 g/m² (1.3mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964


PROFILE: Ridge

Standard Weight: 2200 g/m² (1.3mm)




PROFILE: Silbery 7

Standard Weight: 2200 g/m² (1.3mm)




PROFILE: Six Rib

Standard Weight: 1800 g/m² (1.1mm)



PROFILE: Alsynite 700

Standard Weight: 1800 g/m² (1.1mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964


PROFILE: Spandek 762

Standard Weight: 1800 g/m² (1.1mm)




PROFILE: ST 7

Standard Weight: 2200 g/m² (1.3mm)




PROFILE: ST 900

Standard Weight: 2200 g/m² (1.3mm)



PROFILE: Alsynite 900

Standard Weight: 2200 g/m² (1.3mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964


PROFILE: Styleline

Standard Weight: 1800 g/m² (1.1mm)




PROFILE: Superdek

Standard Weight: 1800 g/m² (1.1mm)




PROFILE: Supersix

Standard Weight: 1800 g/m² (1.1mm)



PROFILE: T Rib

Standard Weight: 1800 g/m² (1.1mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964


PROFILE: 5 Rib

Standard Weight: 1800 g/m² (1.1mm)




PROFILE: Trimform

Standard Weight: 1800 g/m² (1.1mm)




PROFILE: Trimklad

Standard Weight: 1800 g/m² (1.1mm)



PROFILE: Trimline

Standard Weight: 1800 g/m² (1.1mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964


PROFILE: Trimroof

Standard Weight: 1800 g/m² (1.1mm)




PROFILE: Triple Span 865

Standard Weight: 2000 g/m² (1.2mm)




PROFILE: Alsynite Rib

Standard Weight: 2200 g/m² (1.3mm)



PROFILE: Weatherboard

Standard Weight: 1800 g/m² (1.1mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964


PROFILE: Wide Corrugate

Standard Weight: 1800 g/m² (1.1mm)



PROFILE: Alsynite 750

Standard Weight: 1800 g/m² (1.1mm)



All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

www.alsynite.co.nz

0800 257 964